


CLAIMS

1. A compound of general formula (1):



5

in which:

X represents a carbon atom linked to a hydrogen atom (CH) or a nitrogen atom;

10 Y represents a carbon atom linked to a hydrogen atom (CH) or a nitrogen atom;

A represents a methyl (CH₃), fluoromethyl (CH₂F), cyano (CN), hydroxyl (OH) or methoxy (OCH₃) radical or a chlorine or fluorine atom, with the proviso, however,
 15 that when A is a methyl radical (CH₃), and X and Y simultaneously represent a carbon atom linked to a hydrogen atom, then B necessarily represents a chlorine atom;

B represents a chlorine atom or a fluorine atom;

20 D represents a hydrogen atom, a chlorine atom, a fluorine atom, a cyano group (C≡N) or a trifluoromethyl group (CF₃);

E represents a hydrogen, fluorine or chlorine atom;

the addition salts thereof and optionally the hydrates
 25 of the addition salts with pharmaceutically acceptable mineral acids or organic acids, and also the tautomeric forms thereof.

2. The compound of general formula (1) as claimed in claim 1, in which:

B and E each represent a fluorine atom, and
D represents a chlorine atom.

5

3. The derivative as claimed in claim 1, characterized in that it is chosen from the following compounds:

- (3-chloro-4-fluorophenyl) (4-fluoro-4-{{(5-hydroxypyridin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-chloro-4-fluorophenyl) (4-fluoro-4-{{(5-cyanopyridin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-Chloro-4-fluorophenyl) (4-fluoro-4-{{(5-chloropyridin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-chloro-4-fluorophenyl) (4-fluoro-4-{{(5-fluoromethylpyridin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-chloro-4-fluorophenyl) (4-fluoro-4-{{(5-methylpyrimidin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3,4-dichlorophenyl) (4-fluoro-4-{{(5-methylpyrimidin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-chloro-4-fluorophenyl) (4-fluoro-4-{{(6-methylpyridazin-3-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3,4-dichlorophenyl) (4-fluoro-4-{{(6-methylpyridazin-3-ylmethyl) amino} methyl} piperidin-1-yl) methanone;
- (3-chloro-4-fluorophenyl) (4-chloro-4-{{(5-methylpyridin-2-ylmethyl) amino} methyl} piperidin-1-yl) methanone;

(4-fluorophenyl) (4-fluoro-4-{{(5-methylpyridin-2-yl-methyl)amino}methyl}piperidin-1-yl)methanone;

(3,4-difluorophenyl) (4-fluoro-4-{{(5-methylpyridin-2-ylmethyl)amino}methyl}piperidin-1-yl)methanone;

5 (3-fluoro-4-chlorophenyl) (4-fluoro-4-{{(5-methylpyridin-2-ylmethyl)amino}methyl}piperidin-1-yl)methanone;

(3-cyano-4-fluorophenyl) (4-fluoro-4-{{(5-methylpyridin-2-ylmethyl)amino}methyl}piperidin-1-yl)methanone;

10 (3-trifluoromethylphenyl) (4-fluoro-4-{{(5-methylpyridin-2-ylmethyl)amino}methyl}piperidin-1-yl)methanone;

the addition salts thereof and optionally the hydrates of the addition salts with pharmaceutically acceptable
15 mineral acids or organic acids, and also the tautomeric forms thereof.

4. The compound as claimed in one of claims 1 to 3, as a medicament.

20

5. A pharmaceutical composition, characterized in that it contains as active ingredient at least one compound as claimed in any one of claims 1 to 3, combined with an inert pharmaceutical support or other
25 pharmaceutically acceptable vehicles and optionally another medicament.

6. Use of a compound as claimed in one of claims 1 to 3, for the manufacture of a medicament that is useful
30 for treating depression.

7. Use of a compound as claimed in one of claims 1 to

3, for the manufacture of a medicament that is useful for treating pain.

8. Use of a compound as claimed in one of claims 1 to
5 3, for the manufacture of a medicament that is useful for treating dependence on certain substances.